



Compounded Formulas for Plantar Fasciitis Rx Template

Patient's Name: _____ DOB: _____

Patient's Address: _____ City: _____ State _____, Zip: _____

Patient's Phone: _____ Drug Allergies: _____

Topical Cream/Topical Anhydrous Cream Vehicle Selection

The formulas below have the option of being made as a **Cream** or as an **Anhydrous Cream**. The table below describes the fundamental differences between these two options. There are price and stability considerations with both choices.

Vehicle	Description	Price	Beyond Use Dating
Cream	Off white/beige. Creamy feel.	\$\$	Up to 30 days
Anhydrous Cream	Off white/beige. Silky feel.	\$\$\$	Up to 180 days

Formulation Selection (choose by checking the box to the left of the formula)

☐

Amitriptyline HCl 2%-Carbamazepine 2%-Ketoprofen 10% Topical Cream or Anhydrous Cream (circle one)

☐

Baclofen 2%-Gabapentin 5%-Ketoprofen 10%-Lidocaine 5% Topical Cream or Anhydrous Cream (circle one)

☐

Cyclobenzaprine HCl 2%-Ketoprofen 10% Topical Cream *up to 180 days BUD

☐

Flurbiprofen 10%-Cyclobenzaprine HCl 1%-Gabapentin 6%-Lidocaine 2%-Prilocaine HCl 2% Topical Cream *up to 180 days BUD

Quantity Selection (choose a dispense quantity by checking the corresponding box)

☐

30gm

☐

60gm

☐

90gm

☐

____gm

Directions for Use (Choose pre-worded directions below or manually enter directions for use)

☐

Apply a small amount of cream to affected area(s) 1-3 times daily as directed by physician

☐

Refills: 0—1—2—3—4—5—PRN—# _____ (write in)

Prescriber's Name: _____ Date: _____

Prescriber's Street Address: _____ City: _____ State: _____ Zip: _____

Prescriber's Phone Number: _____ Name of person submitting order: _____

Fax completed forms to (503)-624-0591 or email them to info@northwestcompounders.com